

Rugged construction for any cleaning job securing you maximum performance

GM80P is light in weight, but heavy-duty performer. Mounted on a strong steel trolley with large rubber wheel, the machine is easy to manoeuvre. Ideal for e.g. production lines, chemi/pharma industries, hospitals and offices.

- Hepa or Ulpa absolute filter version
- Silent
- 10 meters cable
- 9 liters container capacity
- Light, only 5 kg

Vacuum cleaner for users needing great suction power and ease of use. That is Nilfisk-CFM GM80!



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	GM 80P 220-240V EU	GM 80P 220-240V UK	GM 80P 220-240V AU/ NZ
Hose Vacuum Cleaner						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0			
	HOSE 38/32MM 2M RUBBER	11717000	1			
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	•	•	•
	HOSE CPL	22301500	0			
Round Brush Nozzle						
	BRUSH NOZZLE	11276902	1			
	ROUND BRUSH BLACK KING	22352000	0			
Cone Nozzle						
	CREVICE NOZZLE KIT	81140900	0			
Crevice Nozzle						
	CREVICE NOZZLE BLACK	22302100	0			
Combination Nozzle						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
	COMBO-FL. NOZZ. GREY 270MM	11980300	0			
	NOZZLE COMBI DELUXE	22359800	0			
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	2			
	FILTER COTTON GS/GM 80	61543000	0	•		
	FILTER GS/GM 80/81 POLY KIT	62348600	1			



Rugged construction for any cleaning job securing you maximum performance

Included accessories		Ref. no.	Min. required	GM 80P 220-240V EU	GM 80P 220-240V UK	GM 80P 220-240V AU/ NZ
Tube						
	EXTENSION TUBE D32	11112401	2	•	•	•
	TELESCOPIC TUBE 1130MM D32	81906500	0			
Bag						
	DUST BAG 6.5 LITRES 5 PCS	81620000	0			

• Standard equipment

Included accessories		Ref. no.	Min. required	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN	GM 80 C 100V JP GREY
Hose Vacuum Cleaner						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0			
	HOSE 38/32MM 2M RUBBER	11717000	1			
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	•	•	•
	HOSE CPL	22301500	0			
Round Brush Nozzle						
	BRUSH NOZZLE	11276902	1			
	ROUND BRUSH BLACK KING	22352000	0			
Cone Nozzle						
	CREVICE NOZZLE KIT	81140900	0			
Crevice Nozzle						
	CREVICE NOZZLE BLACK	22302100	0			
Combination Nozzle						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
	COMBO-FL. NOZZ. GREY 270MM	11980300	0			
	NOZZLE COMBI DELUXE	22359800	0			
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	2			
	FILTER COTTON GS/GM 80	61543000	0			
	FILTER GS/GM 80/81 POLY KIT	62348600	1			
Tube						
	EXTENSION TUBE D32	11112401	2			
	TELESCOPIC TUBE 1130MM D32	81906500	0			
Bag						
	DUST BAG 6.5 LITRES 5 PCS	81620000	0			



Rugged construction for any cleaning job securing you maximum performance

● Standard equipment

Included accessories		Ref. no.	Min. required	GM 80 110-120V US HEPA	GM 80P 110-120V US	GM 80P 220-240V EU
Hose Vacuum Cleaner						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0			●
	HOSE 38/32MM 2M RUBBER	11717000	1			
	HOSE 38/32MM 2M STEEL BENT END	12097500	1			
	HOSE CPL	22301500	0			
Round Brush Nozzle						
	BRUSH NOZZLE	11276902	1			●
	ROUND BRUSH BLACK KING	22352000	0			
Cone Nozzle						
	CREVICE NOZZLE KIT	81140900	0			●
Crevice Nozzle						
	CREVICE NOZZLE BLACK	22302100	0			
Combination Nozzle						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			●
	COMBO-FL. NOZZ. GREY 270MM	11980300	0			
	NOZZLE COMBI DELUXE	22359800	0			
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	2			●
	FILTER COTTON GS/GM 80	61543000	0			
	FILTER GS/GM 80/81 POLY KIT	62348600	1			●
Tube						
	EXTENSION TUBE D32	11112401	2			●
	TELESCOPIC TUBE 1130MM D32	81906500	0			
Bag						
	DUST BAG 6.5 LITRES 5 PCS	81620000	0			●

Model	GM 80P 220-240V EU	GM 80P 220-240V UK	GM 80P 220-240V AU/NZ
Ref. no.	17119001	17119002	17119005

PRODUCT FEATURES

Dust bag, 3 pcs	●	●	●
With fixed cable	●	●	●



Rugged construction for any cleaning job securing you maximum performance

Model	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN	GM 80 C 100V JP GREY
Ref. no.	17119009	17119033	107402282

PRODUCT FEATURES

Dust bag, 3 pcs	•	•	•
With fixed cable	•	•	•

Model	GM 80 110-120V US HEPA	GM 80P 110-120V US	GM 80P 220-240V EU
Ref. no.	905 6301 020	905 6401 010	107410427

PRODUCT FEATURES

Dust bag, 3 pcs	•	•	•
With fixed cable	•	•	•

Technical specifications	GM 80P 220-240V EU	GM 80P 220-240V UK	GM 80P 220-240V AU/NZ
Energy efficiency class	na	na	na
Annual energy consumption (kWh/year)	na	na	na
Dust pick up on carpet	na	na	na
Dust pick up on hard floor	na	na	na
Dust re-emission class	na	na	na
Sound power level dB(A) IEC/EN 60335-2-69	na	na	na
Cable length (m)/ plug type	10/EU	10/UK	10/ AUS-NZ
Grounded	no	no	no
Approval	CE	CE	AUS
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Protection class (Electrical)	II	II	II
Ip protection class	IP20	IP20	IP20
Dust class	L	L	L
Rated power (W)	1200	1200	1200
Rated power/max power (W)	1200/1300	1200/1300	1200/1300
Suction power end of tube (W)	270	270	270
Airflow (l/sec)	38	38	38
Airflow without hose (l/sec)	38	38	38
Vacuum (kPa)	20	20	20
Vacuum max (kPa)	20	20	20
Sound pressure level at 1.5 m (dB(A) ISO 3744)	61	61	61
Sound pressure level w/nozzle (dB(A) ISO 3744)	63	63	63
Sound power level w/nozzle (dB(A)60704-2-1)			



Rugged construction for any cleaning job securing you maximum performance

Technical specifications	GM 80P 220-240V EU	GM 80P 220-240V UK	GM 80P 220-240V AU/NZ
Container capacity (l)	12.25	12.25	12.25
Dust bag capacity (l)	6,25	6,25	6,25
Main filter type	COTTEN	COTTEN	COTTEN
Main filter area (cm ²)	2100	2100	2100
Inlet (mm)	38	38	38
Length x width x height (mm)	390x300x410	390x300x410	390x300x410
Weight (kg)	5	5	5

Technical specifications	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN	GM 80 C 100V JP GREY
Energy efficiency class	na	na	na
Annual energy consumption (kWh/year)	na	na	na
Dust pick up on carpet	na	na	na
Dust pick up on hard floor	na	na	na
Dust re-emission class	na	na	na
Sound power level dB(A) IEC/EN 60335-2-69	na	na	na
Cable length (m)/ plug type	10/EU	10/CHINA	10/CHINA
Grounded	no	no	no
Approval	CE	CE	CE
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Protection class (Electrical)	II	II	II
Ip protection class	IP20	IP20	IP20
Dust class	L	L	L
Rated power (W)	1200	1200	1200
Rated power/max power (W)	1200/1300	1200/1300	1200/1300
Suction power end of tube (W)	270	270	270
Airflow (l/sec)	38	38	38
Airflow without hose (l/sec)	38	38	38
Vacuum (kPa)	20	20	20
Vacuum max (kPa)	20	20	20
Sound pressure level at 1.5 m (dB(A) ISO 3744)	61	61	61
Sound pressure level w/nozzle (dB(A) ISO 3744)	63	63	63
Sound power level w/nozzle (dB(A)60704-2-1)			
Container capacity (l)	12.25	12.25	12.25
Dust bag capacity (l)	6,25	6,25	6,25
Main filter type	COTTEN	COTTEN	COTTEN
Main filter area (cm ²)	2100	2100	2100



Rugged construction for any cleaning job securing you maximum performance

Technical specifications	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN	GM 80 C 100V JP GREY
Inlet (mm)	38	38	38
Length x width x height (mm)	390x300x410	390x300x410	390x300x410
Weight (kg)	5	5	5

Technical specifications	GM 80 110-120V US HEPA	GM 80P 110-120V US	GM 80P 220-240V EU
Energy efficiency class	na	na	D
Annual energy consumption (kWh/year)	na	na	46
Dust pick up on carpet	na	na	D
Dust pick up on hard floor	na	na	E
Dust re-emission class	na	na	G
Sound power level dB(A) IEC/EN 60335-2-69	na	na	75
Cable length (m)/ plug type	10/US	10/US	10/EU
Grounded	Yes	Yes	no
Approval	UL	UL	CE
Voltage (V)	110-120	110-120	220-240
Frequency (Hz)	60	60	50-60
Protection class (Electrical)	II	II	II
Ip protection class	IP20	IP20	IP20
Dust class	L	L	L
Rated power (W)	1100	1100	1200
Rated power/max power (W)	1100/1200	1100/1200	1200/1300
Suction power end of tube (W)	250	250	270
Airflow (l/sec)	38	38	38
Airflow without hose (l/sec)	38	38	38
Vacuum (kPa)	20	20	20
Vacuum max (kPa)	20	20	20
Sound pressure level at 1.5 m (dB(A) ISO 3744)	61	61	61
Sound pressure level w/nozzle (dB(A) ISO 3744)	63	63	75
Sound power level w/nozzle (dB(A)60704-2-1)			
Container capacity (l)	12.25	12.25	12.25
Dust bag capacity (l)	6,25	6,25	6,25
Main filter type	COTTEN	COTTEN	POLYESTER
Main filter area (cm²)	2100	2100	2100
Inlet (mm)	38	38	38
Length x width x height (mm)	390x300x410	390x300x410	390x300x410
Weight (kg)	5	5	5



Rugged construction for any cleaning job securing you maximum performance

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	GM 80P 220-240V EU	GM 80P 220-240V UK	GM 80P 220-240V AU/ NZ
Round Brush Nozzle						
	BRUSH NOZZLE	11276902	1	○	○	○
	BRUSH ROUND GREY 100 NATU	11276901	0	○	○	○
	NOZZLE BRUSH 38MM 100	10989000	0	○	○	○
	ROUND BRUSH BLACK KING	22352000	0	○	○	○
	ROUND BRUSH BLUE BRISTLES	22103600	0	○	○	○
Crevice Nozzle						
	CREVICE NOZZLE	010 3098 500	0	○	○	○
	CREVICE NOZZLE BLACK	22302100	0	○	○	○
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	○	○	○
	NOZZLE FLAT	81141200	0	○	○	○
Nozzle						
	BRUSH NOZZLE.32 400MM	11476301	0	○	○	○
	HARD FLOOR NOZZLE BLACK	22351400	1		○	
	NOZZLE WITH RAILR FOR 32MM	82366900	0	○	○	○
	NOZZLE. CARPET32/280	11276800	0	○	○	○
	NOZZLE. CARPET 32 400MM	11476200	0	○	○	○
	TURBO NOZZLE BLACK	22360000	0	○	○	○
Accessory Kit						
	HIGH TECH CLEANING TOOL	22388200	0	○	○	○
Hose Vacuum Cleaner						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0	○	○	○
	HOSE 38/32MM 2M RUBBER	11717000	1	○	○	○
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	●	●	●
	HOSE CPL	22301500	0	○	○	○
	HOSE CPL. GM 80 LE	140 8484 000	1			
	PLASTIC HOSE D32	62139100	0	○	○	○
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	2	○	○	○
	EXHAUST FILTER KIT WO.	11731003	0	○	○	○
	EXHAUST WITH DIFFUSER	21573001	0	○	○	○
	FILTER COTTON GS/GM 80	61543000	0	●	○	○
	FILTER ELEMENT HEPA GS/GM KIT	21738000	0	○	○	○
	FILTER ELEMENT ULPA GS/GM KIT	21739000	0	○	○	○
	FILTER GS/GM 80/81 POLY KIT	62348600	1			



Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80P 220-240V EU	GM 80P 220-240V UK	GM 80P 220-240V AU/ NZ
	FILTER NOMEX GS 80	82243100	0	○	○	○
	GORE TEX -NO-STAT. FILT.80/81	62048000	0	○	○	○
	GORE-TEX FILTER GS/GM80/- 81 IVT/CRX	61909800	0	○	○	○
	MICRO-STATIC FILTER	11641000	0	○	○	○
	MOTOR PROTECTION FILTER	11730410	0	○	○	○
Other						
	BLOWING COUPLING GS/GM80 BLACK	11562000	0	○	○	○
Tube						
	EXTENSION TUBE D32	11112401	2	●	●	●
	TELESCOPIC TUBE 1130MM D32	81906500	0	○	○	○
Flexible Nozzle (IVT)						
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	○	○	○
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	○	○	○
Combination Nozzle						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
	COMBO-FL. NOZZ. GREY 270MM	11980300	0	○	○	○
	NOZZLE COMBI DELUXE	22359800	0	○	○	○
Cone Nozzle						
	CREVICE NOZZLE KIT	81140900	0	○	○	○
Upholstery Nozzle						
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	○	○	○
Bag						
	DUST BAG 6.5 LITRES 5 PCS	81620000	0	○	○	○
Vac Nozzle Dry						
	BRUSH NOZZLE32 280MM	11426700	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN	GM 80 C 100V JP GREY
Round Brush Nozzle						
	BRUSH NOZZLE	11276902	1	○	○	○
	BRUSH ROUND GREY 100 NATU	11276901	0	○	○	○
	NOZZLE BRUSH 38MM 100	10989000	0	○	○	○
	ROUND BRUSH BLACK KING	22352000	0	○	○	○
	ROUND BRUSH BLUE BRISTLES	22103600	0	○	○	○
Crevice Nozzle						
	CREVICE NOZZLE	010 3098 500	0	○	○	○



Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN	GM 80 C 100V JP GREY
	CREVICE NOZZLE BLACK	22302100	0	○	○	○
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	○	○	○
	NOZZLE FLAT	81141200	0	○	○	○
Nozzle						
	BRUSH NOZZLE.32 400MM	11476301	0	○	○	○
	HARD FLOOR NOZZLE BLACK	22351400	1			
	NOZZLE WITH RAILR FOR 32MM	82366900	0	○	○	○
	NOZZLE. CARPET32/280	11276800	0	○	○	○
	NOZZLE. CARPET 32 400MM	11476200	0	○	○	○
	TURBO NOZZLE BLACK	22360000	0	○	○	○
Accessory Kit						
	HIGH TECH CLEANING TOOL	22388200	0	○	○	○
Hose Vacuum Cleaner						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0	○	○	○
	HOSE 38/32MM 2M RUBBER	11717000	1	○	○	○
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	●	●	●
	HOSE CPL	22301500	0	○	○	○
	HOSE CPL. GM 80 LE	140 8484 000	1			○
	PLASTIC HOSE D32	62139100	0	○	○	○
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	2	○	○	○
	EXHAUST FILTER KIT WO.	11731003	0	○	○	○
	EXHAUST WITH DIFFUSER	21573001	0	○	○	○
	FILTER COTTON GS/GM 80	61543000	0	○	○	○
	FILTER ELEMENT HEPA GS/GM KIT	21738000	0	○	○	○
	FILTER ELEMENT ULPA GS/GM KIT	21739000	0	○	○	○
	FILTER GS/GM 80/81 POLY KIT	62348600	1			
	FILTER NOMEX GS 80	82243100	0	○	○	○
	GORE TEX -NO-STAT. FILT.80/81	62048000	0	○	○	○
	GORE-TEX FILTER GS/GM80/- 81 IVT/CRX	61909800	0	○	○	○
	MICRO-STATIC FILTER	11641000	0	○	○	○
	MOTOR PROTECTION FILTER	11730410	0	○	○	○
Other						
	BLOWING COUPLING GS/GM80 BLACK	11562000	0	○	○	○
Tube						
	EXTENSION TUBE D32	11112401	2	○		



Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN	GM 80 C 100V JP GREY
	TELESCOPIC TUBE 1130MM D32	81906500	0	○	○	○
Flexible Nozzle (IVT)						
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	○	○	○
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	○	○	○
Combination Nozzle						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
	COMBO-FL. NOZZ. GREY 270MM	11980300	0	○	○	○
	NOZZLE COMBI DELUXE	22359800	0	○	○	○
Cone Nozzle						
	CREVICE NOZZLE KIT	81140900	0	○	○	○
Upholstery Nozzle						
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	○	○	○
Bag						
	DUST BAG 6.5 LITRES 5 PCS	81620000	0	○	○	○
Vac Nozzle Dry						
	BRUSH NOZZLE32 280MM	11426700	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	GM 80 110-120V US HEPA	GM 80P 110-120V US	GM 80P 220-240V EU
Round Brush Nozzle						
	BRUSH NOZZLE	11276902	1		○	●
	BRUSH ROUND GREY 100 NATU	11276901	0		○	○
	NOZZLE BRUSH 38MM 100	10989000	0		○	○
	ROUND BRUSH BLACK KING	22352000	0		○	○
	ROUND BRUSH BLUE BRISTLES	22103600	0		○	○
Crevice Nozzle						
	CREVICE NOZZLE	010 3098 500	0		○	○
	CREVICE NOZZLE BLACK	22302100	0		○	○
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0		○	○
	NOZZLE FLAT	81141200	0		○	○
Nozzle						
	BRUSH NOZZLE.32 400MM	11476301	0		○	○
	HARD FLOOR NOZZLE BLACK	22351400	1			
	NOZZLE WITH RAILR FOR 32MM	82366900	0		○	○
	NOZZLE. CARPET32/280	11276800	0		○	○
	NOZZLE. CARPET 32 400MM	11476200	0		○	○



Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80 110-120V US HEPA	GM 80P 110-120V US	GM 80P 220-240V EU
	TURBO NOZZLE BLACK	22360000	0		○	○
Accessory Kit						
	HIGH TECH CLEANING TOOL	22388200	0		○	○
Hose Vacuum Cleaner						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0		○	●
	HOSE 38/32MM 2M RUBBER	11717000	1		○	○
	HOSE 38/32MM 2M STEEL BENT END	12097500	1		○	○
	HOSE CPL	22301500	0		○	○
	HOSE CPL. GM 80 LE	140 8484 000	1			
	PLASTIC HOSE D32	62139100	0		○	○
Filter						
	DIFFUSER FILTERS 2 PCS	11693700	2	○	○	●
	EXHAUST FILTER KIT WO.	11731003	0		○	○
	EXHAUST WITH DIFFUSER	21573001	0		○	○
	FILTER COTTON GS/GM 80	61543000	0		○	○
	FILTER ELEMENT HEPA GS/GM KIT	21738000	0		○	○
	FILTER ELEMENT ULPA GS/GM KIT	21739000	0		○	○
	FILTER GS/GM 80/81 POLY KIT	62348600	1			●
	FILTER NOMEX GS 80	82243100	0		○	○
	GORE TEX -NO-STAT. FILT.80/81	62048000	0		○	○
	GORE-TEX FILTER GS/GM80/- 81 IVT/CRX	61909800	0		○	○
	MICRO-STATIC FILTER	11641000	0		○	○
	MOTOR PROTECTION FILTER	11730410	0		○	○
Other						
	BLOWING COUPLING GS/GM80 BLACK	11562000	0		○	○
Tube						
	EXTENSION TUBE D32	11112401	2			●
	TELESCOPIC TUBE 1130MM D32	81906500	0		○	○
Flexible Nozzle (IVT)						
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0		○	○
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0		○	○
Combination Nozzle						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			●
	COMBO-FL. NOZZ. GREY 270MM	11980300	0		○	○
	NOZZLE COMBI DELUXE	22359800	0		○	○
Cone Nozzle						



Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80 110-120V US HEPA	GM 80P 110-120V US	GM 80P 220-240V EU
	CREVICE NOZZLE KIT	81140900	0		○	●
Upholstery Nozzle						
	UPHOLSTERY NOZZLE D32 GREY	32043700	0		○	○
Bag						
	DUST BAG 6.5 LITRES 5 PCS	81620000	0		○	●
Vac Nozzle Dry						
	BRUSH NOZZLE32 280MM	11426700	0		○	○

